



Aquarea DHW Heat Pumps

Using the natural refrigerant R290, Aquarea DHW Heat Pumps achieve the highest A+ energy efficiency class in their category, significantly reducing energy consumption and CO₂ emissions compared to electric heaters. The range includes wall-mounted and floor-standing models with tank capacities from 100 to 260 litres, designed to meet different household needs.



**High performance and
A+ energy rank.**



**Wide operation
range.**



**Saves maintenance time
with dry check for
magnesium anode.**



**User-friendly
touch control.**

Wall mounted version.

- 100 L and 150 L DHW tank
- Wide operating range from -5 to +43 °C.
- 60 °C hot water only with heat pump



Floor standing version.

- 200 L and 260 L DHW tank
- Version with additional coil for operation with other heat sources such as PV panels
- Wide operating range from -7 to +43 °C
- 65 °C hot water only with heat pump



Aquarea DHW Heat Pumps





Type		Wall-mounted			Floor-standing		
Reference		P-DHW100AE5	P-DHW150AE5	P-DHW200AE5	P-DHW200CAE5	P-DHW260AE5	P-DHW260CAE5
Performance according to EN 16147							
Reference hot water temperature (T_{ref})	°C	55	55	55	55	55	55
Heating up time (A +14 °C / W 55 °C)	h:m	5:44	8:46	7:22	7:18	9:36	9:45
Heating up time (A +7 °C / W 55 °C)	h:m	6:44	10:08	7:01	7:08	10:21	10:32
Heating up time (A +2 °C / W 55 °C)	h:m	9:53	12:17	11:32	11:21	14:31	14:42
DHW tank ERP efficiency average / warm / cold	A+ to F	A+ / A++ / A	A+ / A++ / A	A+ / A++ / A	A+ / A++ / A	A+ / A++ / A	A+ / A++ / A
DHW tank ERP average climate η / COPdHW	$\eta_{wh} \%$ / COPdHW	117 / 2,80	117 / 2,80	149 / 3,58	148 / 3,53	150 / 3,64	148 / 3,59
DHW tank ERP warm climate η / COPdHW	$\eta_{wh} \%$ / COPdHW	132 / 3,20	132 / 3,34	159 / 3,81	158 / 3,78	162 / 3,90	158 / 3,84
DHW tank ERP cold climate η / COPdHW	$\eta_{wh} \%$ / COPdHW	92 / 2,20	102 / 2,40	110 / 2,67	108 / 2,61	120 / 2,91	117 / 2,85
Indoor sound power ¹⁾	dB(A)	45	45	50	50	50	50
Outdoor sound power ¹⁾	dB(A)	50	50	50	50	50	50
Load profile		M	L	L	L	XL	XL
Water volume	L	98	143	202	194	260	251
Water volume of mixed water at 40 °C / V40	L	133	172	352	359	262	275
Additional coil exchanger connection		—	—	—	1" M	—	1" M
Additional coil surface	m ²	—	—	—	1,05	—	1,05
Anticorrosion system	Anode	Magnesium	Magnesium	Magnesium	Magnesium	Magnesium	Magnesium
Anti-legionella cycle		Yes	Yes	Yes	Yes	Yes	Yes
Maximum working pressure - storage tank	Mpa (bar)	0,8 (8)	0,8 (8)	0,8 (8)	0,8 (8)	0,8 (8)	0,8 (8)
Dimension (H x W x D)	mm	1351 x 520 x 541	1682 x 520 x 541	1621 x 705 x 694	1621 x 705 x 694	1911 x 705 x 694	1911 x 705 x 694
Empty weight	kg	56	65	100	115	111	126
Heat pump air intake temperature range	°C	-5 ~ +43	-5 ~ +43	-7 ~ +43	-7 ~ +43	-7 ~ +43	-7 ~ +43
Maximum water temperature / with heater	°C	60/65	60/65	65/75	65/75	65/75	65/75
Refrigerant charge (R290)	kg	0,15	0,15	0,15	0,15	0,15	0,15
Power supply / frequency	V / Hz	230/50	230/50	230/50	230/50	230/50	230/50
Total maximum power consumption	W	1726	1726	1970	1970	1970	1970
Heat pump maximum power consumption	W	276	276	470	470	470	470
Electric heating element power consumption	W	1500	1500	1500	1500	1500	1500
Nominal air flow	m ³ /h	235	235	330	330	330	330
External pressure nominal / maximum	Pa	42/220	42/220	88/220	88/220	88/220	88/220
Duct diameter	mm	125	125	160	160	160	160

1) According to EN12102.







Space-saving design

Side air ducts for easy installation in rooms as small as 2 metres high.






Accessories and control

Controls and room thermostats

 <p>Remote controller with Wi-Fi adapter (required for stand-alone outdoor units). M Series. Includes 10 m extension cable.</p> <p>-----</p> <p>CZ-RTW2TAW1C</p>	 <p>Optional remote controller for 2 zone control. K and L Series.</p> <p>-----</p> <p>CZ-RTW1</p>	 <p>Optional remote controller for 2 zone control. M Series.</p> <p>-----</p> <p>CZ-RTW2</p>	 <p>Remote control compartment cover for K, L and M Series indoor units.</p> <p>-----</p> <p>PAW-A2W-COV-KL</p>	 <p>Wired LCD room thermostat with weekly timer.</p> <p>-----</p> <p>PAW-A2W-RTWIRED</p>	 <p>Wireless LCD room thermostat with weekly timer.</p> <p>-----</p> <p>PAW-A2W-RTWIRELESS</p>
--	--	--	--	--	--

Cascade solutions






 <p>Cascade manager for Aquarea Heat Pumps. Cascade up to 10 Aquarea Heat Pumps.</p> <p>-----</p> <p>PAW-A2W-CMH-3</p>	 <p>Aquarea Cascade Edge (manager) for Aquarea Heat Pumps with P-Smart Edge control and monitoring software. Cascade up to 4 units.</p> <p>-----</p> <p>PAW-A2W-CME4</p>	 <p>Aquarea Cascade Edge (manager) for Aquarea Heat Pumps with P-Smart Edge control and monitoring software. Cascade up to 10 units.</p> <p>-----</p> <p>PAW-A2W-CME10</p>
--	---	---




PCBs for additional functions



Indoor unit accessories

 <p>PCB for advanced functions. H and J Series.</p> <p>-----</p> <p>CZ-NS4P</p> <p>PCB for advanced functions. M Series All in One and Bi-bloc.</p> <p>-----</p> <p>CZ-NS6P</p>	 <p>PCB for advanced functions. K and L Series.</p> <p>-----</p> <p>CZ-NS5P</p> <p>PCB for advanced functions. M Series control module.</p> <p>-----</p> <p>CZ-NS7P</p>	 <p>Wall bracket to mount the All in One 120 L on the wall.</p> <p>* Check availability.</p> <p>-----</p> <p>CZ-NW1</p>
--	--	---

Outdoor unit accessories

 <p>Base pan heater for Bi-bloc 3 and 5 kW (except L Series) and K Series 7 and 9 kW (1 fan model).</p> <p>-----</p> <p>CZ-NE2P</p> <p>Base pan heater. L Series 5, 7 and 9 kW and M Series.</p> <p>-----</p> <p>CZ-NE4P</p>	 <p>Base pan heater. H and J Series and K Series 9 kW (2 fans model), 12 and 16 kW.</p> <p>-----</p> <p>CZ-NE3P</p> <p>Base pan heater. M Series 20, 25, 30 kW.</p> <p>-----</p> <p>CZ-NE5P</p>	 <p>Outdoor base ground support for noise and vibration absorption.</p> <p>Dimension (H x W x D): 600 x 95 x 130 mm Safe working load: 500 kg</p> <p>-----</p> <p>PAW-GRDBSE20</p>
--	---	--



Black ground stand for outdoor unit with 940 mm wide condenser water tray.

PAW-GRDSTD940



Black ground stand for outdoor unit with 1100 mm wide condenser water tray.

PAW-GRDSTD1100


Electrical heater foil for the ground stand with 940 mm wide condenser water tray.

PAW-GRDSTDHTR940

Electrical heater foil for the ground stand with 1100 mm wide condenser water tray.

PAW-GRDSTDHTR1100

Hydraulic accessories



3 way valve kit to fit inside the hydrokit. H and J Series.

CZ-NV1

3 way valve kit to fit inside the hydrokit. K and L Series.

CZ-NV2

3 way valve kit to fit inside the hydrokit. M Series.

CZ-NV3



3 way valve for DHW tanks.

PAW-3WYVLV-HW



1 antifreeze valve.
It is required to order 2 valves per system. For 9, 12 and 16 kW.

PAW-A2W-AFVLV-1

1 antifreeze valve 1 1/2".
It is required to order 2 valves per system. For 20, 25 and 30 kW.

PAW-A2W-AFVLV-112



Optional magnet for the water filter in H Series models.

PAW-A2W-MGTFILTER

Connectivity



Optional Wi-Fi or WLAN adapter for smart control via Panasonic Comfort Cloud and/or remote maintenance via Aquarea Service Cloud.

CZ-TAW1C

10 m extension cable for CZ-TAW1C.

CZ-TAW1-CBL

Aquarea Home Network Hub.

PCZ-ESW737



External meter gateway for K Series onwards.

PAW-A2W-EXTMETER



Modbus PCB for Big Aquarea T-CAP M Series (installed inside the WH-CME8L).

CZ-NSMB



Modbus interface for H Series onwards (Airzone).

PAW-AZAW-MBS-M



Modbus interface (Intesis). H and J Series.

PAW-AW-MBS-H



KNX interface for H Series onwards (Airzone).






PAW-AZAW-KNX-1



KNX interface for H Series onwards (Intesis).

PAW-AW-KNX-H





Sensors for Aquarea H Series onwards

 <p>Outdoor ambient sensor.</p> <p>-----</p> <p>PAW-A2W-TSOD</p>	 <p>Zone room sensor.</p> <p>-----</p> <p>PAW-A2W-TSRT</p>	 <p>Zone water sensor.</p> <p>-----</p> <p>PAW-A2W-TSHC</p>
 <p>Solar sensor.</p> <p>-----</p> <p>PAW-A2W-TSSO</p>	 <p>Buffer tank sensor (for H and J Series, PAW-A2W-TSHC required if optional PCB is used.)</p> <p>-----</p> <p>PAW-A2W-TSBU</p>	<p>In-line heater sensor for the control module M Series.</p> <p>-----</p> <p>PAW-A2W-TSBH</p>




tado° room control and smart energy management









tado° Room control sets with Heat Pump Optimizer X

 <p>Set of tado° Heat Pump Optimizer X and 1x Smart Radiator Thermostat X.</p> <p>-----</p> <p>KIT-TSRTXHP0XE</p>	 <p>Set of tado° Heat Pump Optimizer X and 4x tado° Smart Radiator Thermostat X.</p> <p>-----</p> <p>KIT-TSRTX4HP0XE</p>	 <p>Set of tado° Heat Pump Optimizer X and 1x Smart Radiator Thermostat X.</p> <p>-----</p> <p>KIT-TSTXHP0XE</p>	 <p>Set of tado° Heat Pump Optimizer X and 1x Smart Radiator Thermostat X and 2x Smart Radiator Thermostat X.</p> <p>-----</p> <p>KIT-TSTXSRTX2HP0XE</p>
--	---	--	---

tado° Room control sets with Bridge X







 <p>tado° Smart Radiator Thermostat X with Bridge X.</p> <p>-----</p> <p>PAW-TSRTXB</p>	 <p>tado° Smart Thermostat X with Bridge X.</p> <p>-----</p> <p>PAW-TSTXB</p>	 <p>Set of 1x Smart Thermostat X, 2x Smart Radiator Thermostat X and 1x Bridge X.</p> <p>-----</p> <p>PAW-TSTXSRTX2B</p>
---	---	--

tado° X devices



 <p>tado° Heat Pump Optimizer X (with Europlug).</p> <p>-----</p> <p>PAW-THPOXE</p>	 <p>tado° Smart Thermostat X.</p> <p>-----</p> <p>PAW-TSTX</p>	 <p>tado° Wireless Temperature Sensor X.</p> <p>-----</p> <p>PAW-TWTSX</p>	 <p>tado° Smart Radiator Thermostat X.</p> <p>-----</p> <p>PAW-TSRTX</p>	 <p>4x tado° Smart Radiator Thermostat X.</p> <p>-----</p> <p>PAW-TSRTX4</p>	 <p>tado° Bridge X.</p> <p>-----</p> <p>PAW-TBX</p>
---	--	--	---	--	---

Aquarea Air Smart fan coil floor standing accessories







Control accessories

					
Wall-mounted control with Modbus for Aquarea Air Smart fan coils.	Wall-mounted control with Integrated Wi-Fi for Aquarea Air Smart fan coils.	Wall-mounted control PCB for Aquarea Air Smart fan coil floor standing.	On-board display with Modbus for Aquarea Air Smart fan coil floor standing.	On-board display with integrated Wi-Fi for Aquarea Air Smart fan coil floor standing.	PCB for analog control (0-10V) for Aquarea Air Smart fan coils Floor standing.
----- PCZ-EEB749	----- PCZ-EFB749	----- PCZ-ESE845	----- PCZ-ECA844	----- PCZ-EWA844	----- PCZ-B10842

Hydraulic accessories

	
Motorised 3 way valve for Aquarea Air floor standing.	Motorised 2 way valve for Aquarea Air floor standing, wall-mounted 40 and ducted.
----- PCZ-V30720	----- PCZ-V20139







Installation accessories

					
Condensate drip tray for horizontal installation of the Aquarea Air Smart fan coil floor standing 10.	Condensate drip tray for horizontal installation of the Aquarea Air Smart fan coil floor standing 20.	Condensate drip tray for horizontal installation of the Aquarea Air Smart fan coil floor standing 30.	Condensate drip tray for horizontal installation of the Aquarea Air Smart fan coil floor standing 35.	Set of 2 legs to protect water pipes for Aquarea Air floor standing.	Set of 2 legs to anchor the Aquarea Air floor standing to the floor.
----- PCZ-GB0520	----- PCZ-GB0521	----- PCZ-GB0522	----- PCZ-GB0523	----- PCZ-LC0158	----- PCZ-LC0606
Condensate drip tray for horizontal installation of the Aquarea Air Smart fan coil floor standing 40.					
----- PCZ-GB0524					











Aquarea Air Smart fan coil wall-mounted accessories

Control accessories

Hydraulic accessories











					
Wall-mounted control with Modbus for Aquarea Air Smart fan coils.	Wall-mounted control with Integrated Wi-Fi for Aquarea Air Smart fan coils.	Motorised 3 way valve for Aquarea Air wall-mounted 10, 15 and 20.	Motorised 3 way valve for Aquarea Air wall-mounted 40.	Motorised 2 way valve for Aquarea Air wall-mounted 10, 15 and 20.	Motorised 2 way valve for Aquarea Air floor standing, wall-mounted 40 and ducted.
----- PCZ-EEB749	----- PCZ-EFB749	----- PCZ-V30688	----- PCZ-V30718	----- PCZ-V20687	----- PCZ-V20139

Aquarea Air Smart fan coil ducted thin accessories

Control accessories			Hydraulic accessories		
 <p>Wall-mounted control with Modbus for Aquarea Air Smart fan coils.</p> <p>-----</p> <p>PCZ-EEB749</p>		 <p>Wall-mounted control with Integrated Wi-Fi for Aquarea Air Smart fan coils.</p> <p>-----</p> <p>PCZ-EFB749</p>	 <p>Motorised 3 way valve for Aquarea Air ducted.</p> <p>-----</p> <p>PCZ-V30361</p>		 <p>Motorised 2 way valve for Aquarea Air floor standing, wall-mounted 40 and ducted.</p> <p>-----</p> <p>PCZ-V20139</p>
Replacement filter kit	Delivery plates	Return plenum	90° shooting plenum	Telescopic kit	Grille for telescopic kit
 <p>Replacement recirculation filter kit. For P-FSN20 and P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0491</p>	 <p>Delivery plate with 2 circular inlets DN 160 mm. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0561</p>	 <p>Return plenum with 2 circular inlets DN 160 mm. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0566</p>	 <p>90° shooting plenum. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0576</p>	 <p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0581</p>	 <p>Grille for telescopic kit for rear intake. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0586</p>
<p>Replacement recirculation filter kit. For P-FSN25, P-FTN20, P-FSQ30 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0492</p>	<p>Delivery plate with 3 circular inlets DN 160 mm. For P-FTN20.</p> <p>-----</p> <p>PCZ-AHRD0562</p>	<p>Return plenum with 3 circular inlets DN 160 mm. For P-FTN20.</p> <p>-----</p> <p>PCZ-AHRD0567</p>	<p>90° shooting plenum. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0577</p>	<p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FTN20.</p> <p>-----</p> <p>PCZ-AHRD0582</p>	<p>Grille for telescopic kit for rear intake. For P-FTN20.</p> <p>-----</p> <p>PCZ-AHRD0587</p>
<p>Replacement recirculation filter kit. For P-FSN35, P-FTN25, P-FSQ45 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0493</p>	<p>Delivery plate with 4 circular inlets DN 160 mm. For P-FTN25.</p> <p>-----</p> <p>PCZ-AHRD0563</p>	<p>Return plenum with 4 circular inlets DN 160 mm. For P-FTN25.</p> <p>-----</p> <p>PCZ-AHRD0568</p>	<p>90° shooting plenum. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0578</p>	<p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FTN25.</p> <p>-----</p> <p>PCZ-AHRD0583</p>	<p>Grille for telescopic kit for rear intake. For P-FTN25.</p> <p>-----</p> <p>PCZ-AHRD0588</p>
<p>Replacement recirculation filter kit. For P-FSN45, P-FTN35, P-FSQ60 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0494</p>	<p>Delivery plate with 6 circular inlets DN 160 mm. For P-FTN35.</p> <p>-----</p> <p>PCZ-AHRD0564</p>	<p>Return plenum with 6 circular inlets DN 160 mm. For P-FTN35.</p> <p>-----</p> <p>PCZ-AHRD0569</p>	<p>90° shooting plenum. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0579</p>	<p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FTN35.</p> <p>-----</p> <p>PCZ-AHRD0584</p>	<p>Grille for telescopic kit for rear intake. For P-FTN35.</p> <p>-----</p> <p>PCZ-AHRD0589</p>
<p>Replacement recirculation filter kit. For P-FSN55, P-FTN45, P-FSQ75 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0495</p>	<p>Delivery plate with 7 circular inlets DN 160 mm. For P-FTN45.</p> <p>-----</p> <p>PCZ-AHRD0565</p>	<p>Return plenum with 7 circular inlets DN 160 mm. For P-FTN45.</p> <p>-----</p> <p>PCZ-AHRD0570</p>	<p>90° shooting plenum. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0580</p>	<p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FTN45.</p> <p>-----</p> <p>PCZ-AHRD0585</p>	<p>Grille for telescopic kit for rear intake. For P-FTN45.</p> <p>-----</p> <p>PCZ-AHRD0590</p>









Outdoor air kit	Ducting plate outdoor air kit	90° plenum for outdoor air kit with damper	Telescopic kit for outdoor air kit	Grille for telescopic kit for outdoor air kit
 <p>Plenum kit for external air connection with damper for room recirculation. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0571</p>	 <p>Ducting plate plenum kit for outdoor air connection with damper. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0611</p>	 <p>90° plenum for outdoor air kit with damper. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0616</p>	 <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0621</p>	 <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0626</p>
<p>Plenum kit for external air connection with damper for room recirculation. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0572</p>	<p>Ducting plate plenum kit for outdoor air connection with damper. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0612</p>	<p>90° plenum for outdoor air kit with damper. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0617</p>	<p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0622</p>	<p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0627</p>
<p>Plenum kit for external air connection with damper for room recirculation. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0573</p>	<p>Ducting plate plenum kit for outdoor air connection with damper. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0613</p>	<p>90° plenum for outdoor air kit with damper. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0618</p>	<p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0623</p>	<p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0628</p>
<p>Plenum kit for external air connection with damper for room recirculation. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0574</p>	<p>Ducting plate plenum kit for outdoor air connection with damper. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0614</p>	<p>90° plenum for outdoor air kit with damper. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0619</p>	<p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0624</p>	<p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0629</p>
<p>Plenum kit for external air connection with damper for room recirculation. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0575</p>	<p>Ducting plate plenum kit for outdoor air connection with damper. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0615</p>	<p>90° plenum for outdoor air kit with damper. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0620</p>	<p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0625</p>	<p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0630</p>





Aquarea Air Smart fan coil ducted accessories

Control accessories			Hydraulic accessories		
 <p>Wall-mounted control with Modbus for Aquarea Air Smart fan coils.</p> <p>-----</p> <p>PCZ-EEB749</p>		 <p>Wall-mounted control with Integrated Wi-Fi for Aquarea Air Smart fan coils.</p> <p>-----</p> <p>PCZ-EFB749</p>	 <p>Motorised 3 way valve for Aquarea Air ducted.</p> <p>-----</p> <p>PCZ-V30361</p>		 <p>Motorised 2 way valve for Aquarea Air floor standing, wall-mounted 40 and ducted.</p> <p>-----</p> <p>PCZ-V20139</p>
Replacement filter kit	Delivery plates	Return plenum	90° shooting plenum	Telescopic kit	Grille for telescopic kit
 <p>Replacement recirculation filter kit. For P-FSN20 and P-FTN15.</p> <p>-----</p> <p>PCZ-AHRD0491</p>	 <p>Delivery plate with 2 circular inlets DN 160 mm. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0431</p>	 <p>Return plenum with 2 circular inlets DN 160 mm. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0461</p>	 <p>90° shooting plenum. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0521</p>	 <p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0531</p>	 <p>Grille for telescopic kit for rear intake. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0541</p>
<p>Replacement recirculation filter kit. For P-FSN25, P-FTN20, P-FSQ30 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0492</p>	<p>Delivery plate with 3 circular inlets DN 160 mm. For P-FSN25.</p> <p>-----</p> <p>PCZ-AHRD0432</p>	<p>Return plenum with 3 circular inlets DN 160 mm. For P-FSN25.</p> <p>-----</p> <p>PCZ-AHRD0462</p>	<p>90° shooting plenum. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0522</p>	<p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FSN25.</p> <p>-----</p> <p>PCZ-AHRD0532</p>	<p>Grille for telescopic kit for rear intake. For P-FSN25.</p> <p>-----</p> <p>PCZ-AHRD0542</p>
<p>Replacement recirculation filter kit. For P-FSN35, P-FTN25, P-FSQ45 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0493</p>	<p>Delivery plate with 4 circular inlets DN 160 mm. For P-FSN35.</p> <p>-----</p> <p>PCZ-AHRD0433</p>	<p>Return plenum with 4 circular inlets DN 160 mm. For P-FSN35.</p> <p>-----</p> <p>PCZ-AHRD0463</p>	<p>90° shooting plenum. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0523</p>	<p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FSN35.</p> <p>-----</p> <p>PCZ-AHRD0533</p>	<p>Grille for telescopic kit for rear intake. For P-FSN35.</p> <p>-----</p> <p>PCZ-AHRD0543</p>
<p>Replacement recirculation filter kit. For P-FSN45, P-FTN35, P-FSQ60 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0494</p>	<p>Delivery plate with 6 circular inlets DN 160 mm. For P-FSN45.</p> <p>-----</p> <p>PCZ-AHRD0434</p>	<p>Return plenum with 6 circular inlets DN 160 mm. For P-FSN45.</p> <p>-----</p> <p>PCZ-AHRD0464</p>	<p>90° shooting plenum. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0524</p>	<p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FSN45.</p> <p>-----</p> <p>PCZ-AHRD0534</p>	<p>Grille for telescopic kit for rear intake. For P-FSN45.</p> <p>-----</p> <p>PCZ-AHRD0544</p>
<p>Replacement recirculation filter kit. For P-FSN55, P-FTN45, P-FSQ75 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0495</p>	<p>Delivery plate with 7 circular inlets DN 160 mm. For P-FSN55.</p> <p>-----</p> <p>PCZ-AHRD0435</p>	<p>Return plenum with 7 circular inlets DN 160 mm. For P-FSN55.</p> <p>-----</p> <p>PCZ-AHRD0465</p>	<p>90° shooting plenum. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0525</p>	<p>Telescopic kit for rear or directly coupled suction. 153 mm - 270 mm. For P-FSN55.</p> <p>-----</p> <p>PCZ-AHRD0535</p>	<p>Grille for telescopic kit for rear intake. For P-FSN55.</p> <p>-----</p> <p>PCZ-AHRD0545</p>

Outdoor air kit	Ducting plate outdoor air kit	90° plenum for outdoor air kit with damper	Telescopic kit for outdoor air kit	Grille for telescopic kit for outdoor air kit
 <p>Plenum kit for external air connection with damper for room recirculation. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0639</p>	 <p>Ducting plate plenum kit for outdoor air connection with damper. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0651</p>	 <p>90° plenum for outdoor air kit with damper. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0656</p>	 <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0661</p>	 <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FSN20.</p> <p>-----</p> <p>PCZ-AHRD0666</p>
<p>Plenum kit for external air connection with damper for room recirculation. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0640</p>	<p>Ducting plate plenum kit for outdoor air connection with damper. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0652</p>	<p>90° plenum for outdoor air kit with damper. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0657</p>	<p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0662</p>	<p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0667</p>
<p>Plenum kit for external air connection with damper for room recirculation. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0641</p>	<p>Ducting plate plenum kit for outdoor air connection with damper. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0653</p>	<p>90° plenum for outdoor air kit with damper. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0658</p>	<p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0663</p>	<p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0668</p>
<p>Plenum kit for external air connection with damper for room recirculation. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0642</p>	<p>Ducting plate plenum kit for outdoor air connection with damper. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0654</p>	<p>90° plenum for outdoor air kit with damper. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0659</p>	<p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0664</p>	<p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0669</p>
<p>Plenum kit for external air connection with damper for room recirculation. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0643</p>	<p>Ducting plate plenum kit for outdoor air connection with damper. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0655</p>	<p>90° plenum for outdoor air kit with damper. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0660</p>	<p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0665</p>	<p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0670</p>

Aquarea Air Smart fan coil ducted multi zone thin accessories

Control accessories		Hydraulic accessories	
 <p>Wall-mounted control with Modbus for Aquarea Air Smart fan coils.</p> <p>-----</p> <p>PCZ-EEB749</p>	 <p>Wall-mounted control with Integrated Wi-Fi for Aquarea Air Smart fan coils.</p> <p>-----</p> <p>PCZ-EFB749</p>	 <p>Motorised 3 way valve for Aquarea Air ducted.</p> <p>-----</p> <p>PCZ-V30361</p>	 <p>Motorised 2 way valve for Aquarea Air floor standing, wall-mounted 40 and ducted.</p> <p>-----</p> <p>PCZ-V20139</p>
Replacement filter kit	Return plenum	90° shooting plenum	Outdoor air kit
 <p>Replacement recirculation filter kit. For P-FSN25, P-FTN20, P-FSQ30 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0492</p> <p>Replacement recirculation filter kit. For P-FSN35, P-FTN25, P-FSQ45 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0493</p> <p>Replacement recirculation filter kit. For P-FSN45, P-FTN35, P-FSQ60 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0494</p> <p>Replacement recirculation filter kit. For P-FSN55, P-FTN45, P-FSQ75 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0495</p>	 <p>Return plenum with 2 circular inlets DN 160 mm. For P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0682</p> <p>Return plenum with 3 circular inlets DN 160 mm. For P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0683</p> <p>Return plenum with 4 circular inlets DN 160 mm. For P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0684</p> <p>Return plenum with 5 circular inlets DN 160 mm. For P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0685</p>	 <p>90° shooting plenum. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0577</p> <p>90° shooting plenum. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0578</p> <p>90° shooting plenum. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0579</p> <p>90° shooting plenum. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0580</p>	 <p>Plenum kit for external air connection with damper for room recirculation. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0572</p> <p>Plenum kit for external air connection with damper for room recirculation. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0573</p> <p>Plenum kit for external air connection with damper for room recirculation. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0574</p> <p>Plenum kit for external air connection with damper for room recirculation. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0575</p>

Ducting plate outdoor air kit	90° plenum for outdoor air kit with damper	Telescopic kit for outdoor air kit	Grille for telescopic kit for outdoor air kit
 <p>Ducting plate plenum kit for outdoor air connection with damper. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0612</p> <p>Ducting plate plenum kit for outdoor air connection with damper. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0613</p> <p>Ducting plate plenum kit for outdoor air connection with damper. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0614</p> <p>Ducting plate plenum kit for outdoor air connection with damper. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0615</p>	 <p>90° plenum for outdoor air kit with damper. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0617</p> <p>90° plenum for outdoor air kit with damper. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0618</p> <p>90° plenum for outdoor air kit with damper. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0619</p> <p>90° plenum for outdoor air kit with damper. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0620</p>	 <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0622</p> <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0623</p> <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0624</p> <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0625</p>	 <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FTN20 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0627</p> <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FTN25 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0628</p> <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FTN35 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0629</p> <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FTN45 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0630</p>









Non-return damper






Non-return damper for P-FTQ and P-FSQ.

PCZ-AHRD0519

Aquarea Air Smart fan coil ducted multi zone accessories

Control accessories		Hydraulic accessories	
 <p>Wall-mounted control with Modbus for Aquarea Air Smart fan coils.</p> <p>-----</p> <p>PCZ-EEB749</p>	 <p>Wall-mounted control with Integrated Wi-Fi for Aquarea Air Smart fan coils.</p> <p>-----</p> <p>PCZ-EFB749</p>	 <p>Motorised 3 way valve for Aquarea Air ducted.</p> <p>-----</p> <p>PCZ-V30361</p>	 <p>Motorised 2 way valve for Aquarea Air floor standing, wall-mounted 40 and ducted.</p> <p>-----</p> <p>PCZ-V20139</p>
Replacement filter kit	Return plenum	90° shooting plenum	Outdoor air kit
 <p>Replacement recirculation filter kit. For P-FSN25, P-FTN20, P-FSQ30 and P-FTQ30.</p> <p>-----</p> <p>PCZ-AHRD0492</p>	 <p>Return plenum with 2 circular inlets DN 160 mm. For P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0466</p>	 <p>90° shooting plenum. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0522</p>	 <p>Plenum kit for external air connection with damper for room recirculation. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0640</p>
<p>Replacement recirculation filter kit. For P-FSN35, P-FTN25, P-FSQ45 and P-FTQ45.</p> <p>-----</p> <p>PCZ-AHRD0493</p>	<p>Return plenum with 3 circular inlets DN 160 mm. For P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0467</p>	<p>90° shooting plenum. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0523</p>	<p>Plenum kit for external air connection with damper for room recirculation. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0641</p>
<p>Replacement recirculation filter kit. For P-FSN45, P-FTN35, P-FSQ60 and P-FTQ60.</p> <p>-----</p> <p>PCZ-AHRD0494</p>	<p>Return plenum with 4 circular inlets DN 160 mm. For P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0468</p>	<p>90° shooting plenum. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0524</p>	<p>Plenum kit for external air connection with damper for room recirculation. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0642</p>
<p>Replacement recirculation filter kit. For P-FSN55, P-FTN45, P-FSQ75 and P-FTQ65.</p> <p>-----</p> <p>PCZ-AHRD0495</p>	<p>Return plenum with 5 circular inlets DN 160 mm. For P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0469</p>	<p>90° shooting plenum. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0525</p>	<p>Plenum kit for external air connection with damper for room recirculation. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0643</p>

90° plenum for outdoor air kit with damper	Telescopic kit for outdoor air kit	Grille for telescopic kit for outdoor air kit
 <p>90° plenum for outdoor air kit with damper. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0657</p> <p>90° plenum for outdoor air kit with damper. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0658</p> <p>90° plenum for outdoor air kit with damper. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0659</p> <p>90° plenum for outdoor air kit with damper. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0660</p>	 <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0662</p> <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0663</p> <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0664</p> <p>Telescopic kit. For plenum for outdoor air kit with damper. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0665</p>	 <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FSN25 and P-FSQ30.</p> <p>-----</p> <p>PCZ-AHRD0667</p> <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FSN35 and P-FSQ45.</p> <p>-----</p> <p>PCZ-AHRD0668</p> <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FSN45 and P-FSQ60.</p> <p>-----</p> <p>PCZ-AHRD0669</p> <p>Grille for telescopic kit. For plenum for outdoor air kit with damper. For P-FSN55 and P-FSQ75.</p> <p>-----</p> <p>PCZ-AHRD0670</p>

Non-return damper











Non-return damper for P-FTQ and P-FSQ.

PCZ-AHRD0519

Fan coil units controllers



 <p>Electro-mechanical controller (supplied loose).</p> <p>-----</p> <p>TRM-FA</p>	 <p>Electronic controller.</p> <p>-----</p> <p>Plogic</p>	 <p>Electronic controller.</p> <p>-----</p> <p>TControl EASY 3S</p>	 <p>Electronic controller.</p> <p>-----</p> <p>TControl POD glass</p>
 <p>Wired remote controller with touch control for 2-pipe and 4-pipe, EC fan coil (control + Modbus).</p> <p>-----</p> <p>PAW-FC-907EC</p> <p>Wired remote controller with touch control for 2-pipe, AC fan coil (control only).</p> <p>-----</p> <p>PAW-FC-907AC</p>	 <p>Wired remote controller for 2-pipe and 4-pipe, EC fan coil (control + Modbus).</p> <p>-----</p> <p>PAW-FC-903EC</p> <p>Wired remote controller for 2-pipe, AC fan coil (control only).</p> <p>-----</p> <p>PAW-FC-903AC</p>	 <p>Advanced wired remote controller for fan coil.</p> <p>-----</p> <p>PAW-FC-RC1</p>	 <p>Smart controller. Mini building management system.</p> <p>-----</p> <p>SRC</p>

**Plogic remote control.**

WRC / MRC

**Plogic remote control.**

BRC

**Plogic remote control.**

IRC

Sanitary tank accessories

**Tank sensor with 5 m cable length.**

PAW-TS1

Tank sensor with 20 m cable length.

PAW-TS2

Tank sensor with 5 m cable length and only 6 mm diameter.

PAW-TS4

**Temperature sensor kit for third party tank (with copper pocket and 20 m length sensor cable).**

CZ-TK1

Impressed current anode for 200 L Stainless steel tanks.

PAW-EANODE2

**Impressed current anode for 300 L Stainless steel tanks.**

PAW-EANODE3

Heat recovery ventilation accessories

**Supply and extract filters kit.**

PAW-VEN-FLTKit

**Optional PCB for additional functions.**

PAW-VEN-ACCPCB

**HRV touch control panel. White frame (cable must be ordered separately).**

PAW-VEN-DPL

**Cable with plug for electrical connection between unit and control panel, type CE and CD (12 m).**

PAW-VEN-CBLEXT12

**Twin plugs for installation of several control panels type CD or CE for one unit.**

PAW-VEN-DIVPLG

**HRV touch control panel wall-mounted kit.**

PAW-VEN-DPLBOX

**CO₂ RH wall-mounted sensor.**


PAW-VEN-S-CO2RH-W

**CO₂ wall-mounted sensor.**

PAW-VEN-S-CO2-W

**CO₂ duct sensor.**

PAW-VEN-S-CO2-D

**Wall bracket kit for stand-alone installation on the wall.**

PAW-VEN-WBRK










**Electrical duct heater 0,6 kW (includes relay).**

PAW-VEN-HTR06

**Electrical duct heater 1,2 kW (includes relay).**

PAW-VEN-HTR12





Aquarea Vent accessories

Remote controller (required, to be ordered separately)		Electrical duct heater	
			
Wall-mounted control with Modbus for Aquarea Vent.	Wall-mounted control with Integrated Wi-Fi for Aquarea Vent.	Electrical duct heater 0,5 kW, DN 160 mm.	Electrical duct heater 1,0 kW, DN 160 mm.
----- PCZ-AHRP0025	----- PCZ-AHRP0026	----- PCZ-AHRP0421	----- PCZ-AHRP0422
Filters			
			
Spare F7 filter kit (2 pcs) for models 15Z, 20Z, 30Z, 15H and 15V.		Activated carbon filter (1 pc) for models 15Z, 20Z, 30Z, 15H and 15V.	
----- PCZ-AHRP0501		----- PCZ-AHRP0901	
Spare F7 filter kit (2 pcs) for models 30H.		Activated carbon filter (1 pc) for models 30H.	
----- PCZ-AHRP0507		----- PCZ-AHRP0508	
Spare F7 filter kit (2 pcs) for models 30V.		Activated carbon filter (1 pc) for models 30V.	
----- PCZ-AHRP0502		----- PCZ-AHRP0902	
Spare F7 filter kit (2 pcs) for models 35H and 45H.		Activated carbon filter (1 pc) for models 35H and 45H.	
----- PCZ-AHRP0503		----- PCZ-AHRP0903	
Spare F7 filter kit (2 pcs) for models 40V and 45V.		Activated carbon filter (1 pc) for models 40V and 45V.	
----- PCZ-AHRP0504		----- PCZ-AHRP0904	
Filters	External roof grill		
			
External wall grid with flow deviation. Stainless steel, DN 160 mm.	Roof terminal. Stainless steel, DN 160 mm.	Through for flat roof terminal. Stainless steel, DN 160 mm.	Through insulation collar for roof terminal.
----- PCZ-STE016181	----- PCZ-STE016185	----- PCZ-STE016190	----- PCZ-STE080189
		Through for terminal inclined roof 45°. Stainless steel, DN 160 mm.	
		----- PCZ-STE016191	

Primary pipe connections

 <p>Insulated joint male/male. DN 160 mm.</p> <p>----- PCZ-SRA116110</p>	 <p>Insulated sleeve female/female. DN 160 mm.</p> <p>----- PCZ-SRA116120</p>	 <p>Insulated reducer female/male. DN 160 mm to DN 125 mm.</p> <p>----- PCZ-SRA112132</p>	 <p>Insulated reducer female/male. DN 200 mm to DN 160 mm.</p> <p>----- PCZ-SRA116132</p>
--	---	---	---

Primary EPP connections

 <p>Rigid insulated pipe (primary EPP pipe). DN 160 mm, L= 1 mt, 1 joint included.</p> <p>----- PCZ-SCS116001</p>	 <p>Elbow 90° (primary EPP pipe). DN 160 mm, 1 joint included.</p> <p>----- PCZ-SCS116090</p>	 <p>Connection joint (primary EPP pipe). DN 160 mm.</p> <p>----- PCZ-SCS116160</p>	 <p>Reducer (primary EPP pipe). DN 160 mm to DN 125mm.</p> <p>----- PCZ-SCS116120</p>
---	---	--	---







Primary flexible pipe

Flexible pipe connections

Silencers

 <p>10 m primary flexible duct with insulated hose. DH 160 mm.</p> <p>----- PCZ-SCE116010</p>	 <p>10 m primary flexible duct with insulated aluphonic hose. DH 160 mm.</p> <p>----- PCZ-SCE316010</p>	 <p>Hose clamp for hose. 60/325 mm.</p> <p>----- PCZ-SCE099120</p>	 <p>Black air-tight anti-condensation tape. 50 mm x 10 m.</p> <p>----- PCZ-SCE199121</p>	 <p>Aluminium tape. 50 mm x 10 m. Sp 40 µm.</p> <p>----- PCZ-SCE199122</p>	 <p>Flexible silencer male/male. DN 160 mm, SP 25 mm, L= 1000 mm.</p> <p>----- PCZ-SCE216001</p>
--	--	---	---	---	---


Distribution manifolds and accessories

 <p>TG1 insulated steel manifold with inspection door and side/front/perpendicular exits. 1x DN 160 mm - 4+4+4x DN 75/90 mm.</p> <p>----- PCZ-SC0164044</p>	 <p>TG2 insulated steel manifold with inspection door and side/front/perpendicular exits. 1x DN 160 mm - 4+8+4x DN 75/90 mm.</p> <p>----- PCZ-SC0164084</p>	 <p>TG3 insulated steel manifold with inspection door and side/front/perpendicular exits. 1x DN 160 mm - 4+12+4x DN 75/90 mm.</p> <p>----- PCZ-SC0164124</p>
 <p>Manifold/ plenum coupling for DN 75 mm corrugated start.</p> <p>----- PCZ-SRS075140</p>	 <p>Collector blind plug for manifold.</p> <p>----- PCZ-SRS080141</p>	 <p>Static flow regulator. 15=> 50 m³/h, step minimum= 5 m³/h.</p> <p>----- PCZ-SRP080001</p>


Corrugated pipe system with accessories

					
50 m corrugated pipe coil. DN 75 mm.	O-Ring. DN 75 mm.	Corrugated pipe blind plug. DN 75 mm.	Joint male/male. DN 75 mm including two O-ring.	Fixing clip. DN 75 mm. Use every 1,5 - 2 m linear and before and after each curve.	90° vertical angle. DN 75 mm. Two O-rings included.
PCZ-SRS075050	PCZ-SRS075145	PCZ-SRS075150	PCZ-SRS075120	PCZ-SRS075155	PCZ-SRS075160


Room plenum

	Replacement filter (10 pcs).
EPP polypropylene diffuser, modular and patented with 75/90 mm coupling, coupling for modular coupling, filter and installation brackets.	
PCZ-REV081111	PCZ-SB0130860

Room grills with round holes

			
Grid 1x perforated round hole. Steel, white finish, 190 x 140 mm.	Grid 2x perforated round hole. Steel, white finish, 360 x 140 mm.	Grid 3x perforated round hole. Steel, white finish, 540 x 140 mm.	Grid 4x perforated round hole. Steel, white finish, 360 x 260 mm.
PCZ-SB0130801	PCZ-SB0300801	PCZ-SB0480801	PCZ-SB0302001

Room grills with square holes

			
Grid 1x perforated square hole. Steel, white finish, 190 x 140 mm.	Grid 2x perforated square hole. Steel, white finish, 360 x 140 mm.	Grid 3x perforated square hole. Steel, white finish, 540 x 140 mm.	Grid 5x perforated square hole. Steel, white finish, 360 x 260 mm.
PCZ-SB0130802	PCZ-SB0300802	PCZ-SB0480802	PCZ-SB0302002